

PRODUKTINFORMATION 0061- GB
PRODUCT INFORMATION

Von / From:	Susanne Suttrop ■ GR-B ■ Tel: 519 ■ s.suttrop@allweiler.de	
Kopie an / Copy to::	Sales Infos Weltweit	
Datum / Date:	03. August 2010	Seite/Page 1 von/of 4
Produkt / Baureihe Pump Type:	SPF series	

Anlaß / Occasion:	Adapter flanges for the conversion SPF to ALLFUEL
-------------------	--

Maßnahmen/ Measures:	ALLFUEL replacing SPF / SPZ / BAS / ZAS / ZASV
----------------------	--

Measure:

According the product information 0060, the existing **series SPF / SPZ / BAS / ZAS / ZASV** with typical usage as transfer pumps up to 6 bar and injection pumps up to 40 bar will be completely replaced by the ALLFUEL series and removed from the ALLWEILER product line, starting on September 1, 2010.

Conversion of already existing plants to the ALLFUEL series:

The new and superior ALLFUEL series has been available for these applications since May 1, 2009 and can be integrated in existing installations by using adapter flanges (overview p. 3). In case of horizontal mounted SPF/BA pumps without filter the AFI- and AFT-pumps can be directly connected via the adapter flanges, any other changes are not necessary.

The counter flanges in the existing systems have to correspond to the welding-neck flanges, delivered by ALLWEILER (acc. EN1092-1 PN40 Typ11 Form B)

For spare parts should be only used the specified original ALLWEILER parts.

All necessary article numbers and installation instructions for the adapter flanges are now integrated in the ALLFUEL parts lists and can be selected via the SAP configuration.

Therefore exists from now on the possibility to configure the ALLFUEL series with:

- **Adapter flanges** or
- **SAE welding-neck flanges** or
- **without any flanges**

PRODUKTINFORMATION- PRODUCT INFORMATION


Datum/Date: 03.08.2010

Seite/Page 2

Old series



BA without filter



AFT
ALLFUEL Transfer



ZAS/ZASV
without filter



AFT-T
ALLFUEL Transfer-Twin



SPF without filter



AFI
ALLFUEL Inject



SPZ without filter




AFI-T
ALLFUEL Inject-Twin

PRODUKTINFORMATION- PRODUCT INFORMATION

Datum/Date: 03.08.2010

Seite/Page 3

Exchange / Replacement option



PRODUKTINFORMATION- PRODUCT INFORMATION

Datum/Date: 03.08.2010


Seite/Page 4

Old series

New series




BA with filter



AFT-F
ALLFUEL Transfer-Filter




ZAS/ZASV with filter




AFT-T
ALLFUEL Transfer-Twin




SPF with filter



AFI-F
ALLFUEL Inject-Filter



SPZ with filter



AFI-T
ALLFUEL Inject-Twin

Replaced by
ALLFUEL with filter:

! Pipework must be changed

↳ Special terms for initial installation in accordance with organization directive No. 55



Susanne Suttrop

Business Development & Marketing
Allweiler AG